

SAFETY DATA SHEET

Revision Date 27-Jun-2022

Version 12

1. IDENTIFICATION

Product identifier **Product Name QMI** Automatic Transmission Cleaner Other means of identification Product Code **QMI GL1706** Recommended use of the chemical and restrictions on use **Recommended Use** See directions provided with product All other applications Uses advised against Details of the supplier of the safety data sheet Supplier Address Manufacturer Address Manufactured and Distributed by: **ITW Professional Automotive Products** 3606 Craftsman Blvd. Lakeland, FL 33803 Distributor May Also Be Distributed by: Logistic Distribution 550 Industrial Drive Milton, ON, Canada L9T 5A6 863-665-3338 **Company Phone Number** 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585

E-mail address: EHS@itwproap.com

Contract Number: MIS0003583

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable liquids	Category 4

Label elements

Emergency Overview

<u>Signal word</u> Danger

May damage fertility or the unborn child May cause damage to organs through prolonged or repeated exposure May be fatal if swallowed and enters airways



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting IN CASE OF FIRE: Use CO2, dry chemical, or foam to extinguish.

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed. May be harmful in contact with skin. Causes mild skin irritation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Distillates (petroleum),	64742-65-0	60 - 100
solvent-dewaxed heavy paraffinic		
Mineral Spirits	8052-41-3	1 - 5
Ethylene Glycol Monobutyl Ether	111-76-2	1 - 5

4. FIRST AID MEASURES

Description of first aid measures

General advice

If symptoms persist, call a physician.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

Skin contact	Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.	
Inhalation	Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		
Symptoms	See section 2 for more information.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

Suitable extinguishing media

Use, Use dry chemical, Carbon dioxide (CO2), Water spray (fog), Alcohol resistant foam

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Explosion data

Sensitivity to Mechanical ImpactNone.Sensitivity to Static DischargeNone.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.
Environmental precautions	
Environmental precautions	Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See section 12 for additional ecological information.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Dam up. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.

Prevention of secondary hazards Clean contaminated object

Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric
motors and static electricity). Keep containers tightly closed in a cool, well-ventilated place.
Keep away from heat. Keep in properly labeled containers.

Incompatible materials Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Mineral Spirits	TWA: 100 ppm	TWA: 500 ppm	IDLH: 20000 mg/m ³
8052-41-3		TWA: 2900 mg/m ³	Ceiling: 1800 mg/m ³ 15 min
		(vacated) TWA: 100 ppm	TWA: 350 mg/m ³
		(vacated) TWA: 525 mg/m ³	_
Ethylene Glycol Monobutyl Ether	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	_
		(vacated) S*	
		S*	

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical propertiesPhysical stateLiquidAppearanceClear liquid

Odor Color Odor threshold

Property Hα Melting point / freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Relative density** Water solubility Solubility(ies) Partition coefficient Autoignition temperature Hyphen **Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties**

Other Information Softening point Molecular weight Density Bulk density SADT (self-accelerating decomposition temperature) Slight hydrocarbon light yellow No information available

Values

No information available No information available > $35 \ ^{\circ}C \ / \ > 95 \ ^{\circ}F$ 79 $\ ^{\circ}C \ / \ 174.2 \ ^{\circ}F$ No information available No information available

No information available No information available No information available No information available 0.85 Insoluble in water No information available No information available No information available 20.5 mm2/s No information available No information available No information available No information available

No information available No information available No information available No information available No information available Remarks • Method

10. STABILITY AND REACTIVITY

Reactivity

No information available

<u>Chemical stability</u> Stable under normal conditions

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

May cause irritation of respiratory tract.

Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

Skin contact May cause skin irritation and/or dermatitis.

Ingestion

Ingestion may cause irritation to mucous membranes.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (petroleum), solvent-dewaxed heavy paraffinic 64742-65-0	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2400 mg/m³ (Rat)4 h
Mineral Spirits 8052-41-3	-	> 3000 mg/kg (Rabbit)	> 5.5 mg/L (Rat)4 h
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat)4 h = 486 ppm (Rat)4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity		No information No information			
Carcinogenicity		The table belo	w indicates whether eac	ch agency has listed any ing	redient as a carcinogen.
Chemical name	ACO	GIH	IARC	NTP	OSHA
Distillates (petroleum),	A	2	Group 1	Known	Х
solvent-dewaxed heavy					
paraffinic					
64742-65-0					
Ethylene Glycol Monobutyl	A	3	Group 3	-	-
Ether					
111-76-2					
ACGIH (American Conf		ernmental Indu	ıstrial Hygienists)		
A2 - Suspected Human C	Carcinogen				
A3 - Animal Carcinogen					
IARC (International Age		irch on Cancer)		
Group 1 - Carcinogenic te					
Group 3 - Not classifiable		arcinogen			
NTP (National Toxicolog					
Known - Known Carcinog					
	afety and Heal	th Administrati	on of the US Department	of Labor)	
X - Present					
Chronic toxicity		May cause ad adverse liver (e marrow and blood-formin	g system. May cause
Torget ergen offecto				homotopointio avetom Kidr	any Liver Respiratory
Target organ effects			i nervous system, Eyes,	hematopoietic system, Kidr	ley, Liver, Respiratory
		system, Skin.			
The following values are	calculated h	based on cha	pter 3.1 of the GHS doo	cument	
ATEmix (oral)		4482 mg/kg			
ATEmix (dermal)		4313 mg/kg			
ATEmix (inhalation-d		57.7 mg/l			
ATEmix (inhalation-v	apor)	36000 mg/l			

12. ECOLOGICAL INFORMATION

Ecotoxicity

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Chemical name	Partition coefficient
Ethylene Glycol Monobutyl Ether	0.81
111-76-2	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

Note: <u>DOT</u> Proper shipping name	Not regulated
IATA Proper shipping name	Not regulated
IMDG Proper shipping name	Not regulated

15. REGULATORY INFORMATION				
International Inventories				
TSCA	Complies			
DSL/NDSL	Complies			
EINECS/ELINCS	Complies			
ENCS	Complies			
IECSC	Complies			
KECL	Complies			
PICCS	Complies			
AICS	Complies			
	•			

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %		
Ethylene Glycol Monobutyl Ether - 111-76-2	1.0		
SARA 311/312 Hazard Categories			
Acute health hazard	Yes		
Chronic Health Hazard	No		
Fire hazard	Yes		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Mineral Spirits 8052-41-3	Х	×	Х
Ethylene Glycol Monobutyl Ether	Х	X	Х
111-76-2			
Zinc alkyldithiophosphate	X	-	X
84605-29-8			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

B3 - Combustible liquid, D2A - Very toxic materials, D2B - Toxic materials

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u> HMIS

Health hazards 2 Health hazards 2 Flammability 2 Flammability 2 Instability 0

Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date

27-Jun-2022

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet