



Material Safety Data Sheet

High Performance Synthetic MV Automatic Transmission Formula

Date Issued: 01/23/2013

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: QMI HP Synthetic MV Automatic Transmission Fluid
GENERAL USE: Automotive Aftermarket
PRODUCT DESCRIPTION: Transmission fluid
PRODUCT CODE: 6001, 6002, 6055

DISTRIBUTOR

ITW Professional Automotive Products
3606 Craftsman Blvd.
Lakeland, FL 33803
Customer Service: 863-665-3338

24 HR EMERGENCY TELEPHONE NUMBERS

Poison Control Center: (877) 800-5533
CHEMTEL: (813) 248-0585

2. HAZARD IDENTIFICATION

GHS CLASSIFICATION

SENSITIZER Category 1

GHS LABEL ELEMENTS



Signal word: Warning

Hazard statement; May cause an allergic skin reaction.

Precautionary statements: Avoid breathing mists, spray or vapors. Wear protective gloves. Contaminated work clothing should not be allowed out of the workplace. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. All disposal practices must be in accordance with local, national and international regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS
Petroleum oil	64742-54-7, 64742-55-8
Polyalkylmethacrylate	Confidential
Diphenylamine	122-39-4
Alkyl acetamide	Confidential



Material Safety Data Sheet

High Performance Synthetic MV Automatic Transmission Formula

Date Issued: 01/23/2013

4. FIRST AID MEASURES

EYES: Flush eyes gently with water for at least 15 minutes while holding eyelids apart. Seek immediate medical attention if irritation persists.

SKIN: Remove contaminated clothing. Flush exposed area with large amounts of water.

INGESTION: Seek medical attention. Do not give anything by mouth. Contact a physician, medical facility, or poison control center. Do not leave individual unattended.

INHALATION: Move individual away from exposure and into fresh air. If symptoms do not abate or breathing difficulty develops, seek medical attention. Do not leave individual unattended.

5. FIRE FIGHTING MEASURES

FLASH POINT: 342°F (172°C)

EXTINGUISHING MEDIA: Water fog, CO₂, dry chemical, or foam. Use water to cool fire-exposed containers.

HAZARDOUS COMBUSTION PRODUCTS: Carbon Dioxide, Carbon Monoxide.

6. ACCIDENTAL RELEASE MEASURES

Use suitable PPE and ensure adequate ventilation. Eliminate all ignition sources including pilot lights and electric motors. Prevent runoff into drains, sewers, streams, or other bodies of water. Absorb liquid with vermiculite, floor absorbent or other absorbent material. Scoop or scrape up absorbent and put in the appropriate container for disposal.

7. HANDLING AND STORAGE

HANDLING: Avoid prolonged skin contact, breathing vapors, and contaminated clothing. Use with adequate ventilation. Wear recommended protective equipment. Practice good personal hygiene after handling. Empty containers retain material residue. Do not cut, weld, braze, solder or expose containers to other ignition sources. Follow all MSDS/label precautions even after container is emptied because it may retain product residues.

STORAGE: Keep container tightly closed in a cool, well-ventilated area.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits			OSHA PEL	ACGIH
Chemical Name	Concentration		mg/m ³	mg/m ³
Petroleum Oil as mist	>80%	TWA	5	5

ENGINEERING CONTROLS: Use with adequate ventilation.

PERSONAL PROTECTIVE EQUIPMENT

EYES: Appropriate eye protection.

SKIN: Nitrile or other chemical-resistant gloves.



Material Safety Data Sheet

High Performance Synthetic MV Automatic Transmission Formula

Date Issued: 01/23/2013

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid
Odor and appearance: Clear red liquid
Specific Gravity: 0.84
pH: N/A
Flash Point, COC 342°F (172°C)

10. STABILITY AND REACTIVITY

Stability: Normally stable at ambient temperature and pressure.
Conditions to Avoid: Heat, flame, sparks at temperatures at or above the flash point; contact with strong oxidizing agents.
Polymerization: Will not occur.
Thermal Decomposition: Oxides of carbon, sulfur, nitrogen, phosphorus, and zinc.

11. TOXICOLOGICAL INFORMATION

Component	LD50 mg/kg, Rat, Oral	LC50 ppm, Rat, Oral
Petroleum Oil	>5000	N/A

POTENTIAL HEALTH EFFECTS

EYES: Can cause eye irritation.

SKIN: Can cause mild skin irritation and dryness. May absorb and/or defat skin on prolonged contact. Some components may cause skin sensitization.

INGESTION: Ingestion may result in nausea or stomach discomfort.

INHALATION: Vapors generated at elevated temperatures can cause irritation to respiratory tract.

CHRONIC TOXICITY: May absorb and/or defat skin on prolonged contact.

CARCINOGENICITY: This material does not contain components that are listed as a carcinogen by the IARC, the NTP, or OSHA.

ROUTES OF ENTRY: Skin, Eyes, Ingestion, and Inhalation.

12. ECOLOGICAL INFORMATION

No ecological data are available for this product.

13. DISPOSAL CONSIDERATIONS

Consult federal, state, and local regulations regarding disposal.



Material Safety Data Sheet

High Performance Synthetic MV Automatic Transmission Formula

Date Issued: 01/23/2013

14. TRANSPORT INFORMATION

DOT Not Regulated
IATA Not Regulated
IMDG Not Regulated

15. REGULATORY INFORMATION


TSCA: All components are on the US TSCA Inventory.
RCRA: Not listed in 40 CFR Part 302.4.
Cal. Prop. 65 This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

HMIS Rating

HEALTH:	1	
FLAMMABILITY:	1	
PHYSICAL HAZARD:	0	
PERSONAL PROTECTION:	B	

NFPA Codes



DISCLAIMER:

ITW Professional Automotive Products (ITWProAp) believes the information contained in this data sheet is accurate as of the date compiled. However, ITWProAp makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. ITWProAp disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site (www.qmiitw.com).